

Card & Mobile Testing

KaNest®-ICC

With KaNest®-ICC, Galitt provides a tool designed to test and validate contact and contactless cards, embedding one or several applications, as well as new contactless form factors.


KaNest®-ICC allows to:

- simulates the commands from an acceptance device to a card;
- check the conformity of card applications (level 2 testing) based on ISO 7816 or ISO 14443 standard through advanced tests.

Galitt offers with the simulator various Card Test Suites implementing the Test Plans issued by the major Payment Schemes.

KEY FEATURES

- Simulator of exchanges generated by acceptance device
- Test of contact & contactless cards
- Full multi-application testing
- Off-the-shelf recognized Test Suites
- Automatic mechanism of test selection
- Easy settings
- Flexible and fast analysis of test results
- Spy function
- Automation capabilities & remote control



GALITT ADVANTAGE

KaNest®-ICC is recognized as the state-of-the-art simulator for interoperability testing:

- Several KaNest®-ICC Test Suites have been "confirmed" or "qualified" by payment schemes (Visa, JCB, DCI, CB...) as "capable of supporting the Test Cases" they have defined.
- The Tester View allows test automation and time saving. It provides several results views ranging from an overall summary
 of the test campaign to an in-depth analysis of the transaction flow.
- Tests can be performed through a physical reader or through a virtual reader to ease debugging and regression testing; testing execution can be thus fully automated.
- Galitt has been the first Test Tool provider qualified by GlobalPlatform and propose a complete offer for card and mobile configurations.

Card & Mobile Testing











GlobalPlatform TEST SUITES

GlobalPlatform

GP Card Test Suites **qualified** by GlobalPlatform to be officially used to evaluate compliance to specific GlobalPlatform card configurations:

- Basic Financial Configuration
- Common Implementation v1 & v2
- Contactless Extension v2
- eUICC Compliance v2 & v3
- Financial Configuration Compliance
- ID Configuration
- Mapping Guidelines Compliance
- Memory Extension Compliance
- SE Access Control
- SE Configuration

SE Contactless Extension v1

- SE Memory Management Extension Compliance
- TEE
- TEE SE API
- TEE Security
- UICC Amendment B
- UICC Amendment C
- UICC Compliance v1 & v2
- UICC Memory Management Extension Compliance

all qualified

KaNest®-ICC

- KaNest®-ICC simulates the commands generated by an acceptance device in order to test the behavior of a card and to verify the conformance to specifications.
- KaNest®-ICC can test any ISO 7816 smart card using either T=0 or T=1 protocol or ISO 14443 contactless card based on Type A or B.
- The simulator relies on the ICC-A module, the device simulation module, which sends commands to the card and validate card responses.
- KaNest®-ICC gives the capabilities to spy the dialogue between an acceptance device and a card in both contact and contactless modes.

AUTOMATION

Tests are automated through an easy-to-use interface ("Tester View") or performed in a step-by-step mode ("Engineering View").

All Test Suites include an automatic test selection as well as logging and reporting features.

CARD & MOBILE TEST SUITES

American Express

- AEIPS qualified
- Expresspay qualified

Discover® Global Network

- D-PAS contacts qualified
- D-PAS sans contact qualified

Visa

- VCBP (Visa Cloud Based Payment) confirmed
- VIS confirmed
- VCPS confirmed
- Multi-Access for VSDC confirmed
- VMCPS (Visa Mobile Contactless Payment Specification) confirmation ongoing
- Broker Interface for VMPA (Broker Applet Interface for Visa Mobile Payment Application Specification) confirmation ongoing

OPTIONS

- Device simulation module: ICC-A: reading and capture of physical cards.
- Card Image Module: ICC-I: creation of virtual test cards by directly keying card data or by capturing a physical card and then deriving it.
- Repository Edition Module: ICC-E: edition of rules and formats used to simulate card – terminal exchanges.
- Remote Control Module: ICC-D: API allowing any Windows™ application to drive remotely the simulator (test scripts and reports).
- HPE ALM Module: driving and update of the simulator by HPE ALM software.

TECHNICAL SPECIFICATIONS

Tested Functions

Functional behavior

- Cryptography
- Application layer (Level 2)
- Contact smart cards
- Contactless cards
- New contactless form factors

Readers

NomadLAB (KEOLABS)

- For contact (ISO 7816) and Single Wire Protocol (SWP)
- Supporting T=0 and T=1

ContactLAB (KEOLABS)

- For contact (ISO 7816) and Single Wire Protocol (SWP)
- Supporting T=0 and T=1

US^{nano®} (SMARTWARE)

XPC/SC readers

For contact and contactless

Virtual TCP/IP reader

Repositories

- VIS VSDC
- M/Chip
- D-PAS
- GlobalPlatform
- EMV
- payWave[™] (VCPS)
- PayPass™
- ...

Mobile

- VMCPS
- EMV CMP AAUI
- HCI/SWP

Hardware Configuration

- Monitor SXGA (1280x1024)
- 4 GB RAM (recommended)
- At least available 4 GB on the diver
- A USB port to connect the license key (dongle)

Operating System Configuration

Windows™ 7 32 bits SP1

Windows[™] 7 64 bits SP1 Windows[™] Server 2008 R2

Windows™ 8

Windows™ Server 2012

Windows™ 10 64bits